

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 10,258,630 B2
APPLICATION NO. : 15/893546
DATED : April 16, 2019
INVENTOR(S) : Sebastian Mirkin et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Specification

Column 2, Line 37: Delete “PEG-6 palmitostearate” and insert in its place --PEG-6 stearate--.

Column 2, Lines 43-44, 51-52, 59-60, and 67: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Column 3, Lines 1, 11-12, 23-24, 34-35, 45-46, 56-57, and 67: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Column 4, Lines 3, 16, 19, 33, and 37: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Column 5, Line 26: Delete “PEG-6 palmitostearate” and insert in its place --PEG-6 stearate--.

Column 18, Line 33: Delete “PEG-6 palmitostearate” and insert in its place --PEG-6 stearate--.

Column 22, Line 24: Delete “PEG-6 palmitostearate” and insert in its place --PEG-6 stearate--.


Column 43, Lines 49-51, 58-59, and 67: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Column 44, Lines 1 and 35: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Column 46, Lines 3-4, 14-16, 26-28, 40-41, and 45-47: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Column 48, Lines 50-51: Delete each instance of “pg*hr/mL” and insert in its place --pg/mL--.

Signed and Sealed this
Twenty-seventh Day of August, 2019



Andrei Iancu
Director of the United States Patent and Trademark Office